

AMENDMENTS TO THE CLAIMS

A detailed listing of all claims that are, or were, in the present application, irrespective of whether the claim(s) remain(s) under examination in the application is presented below. The claims are presented in ascending order and each includes one status identifier. Those claims not cancelled or withdrawn but amended by the current amendment utilize the following notations for amendment: 1. deleted matter is shown by strikethrough for six or more characters and double brackets for five or fewer characters; and 2. added matter is shown by underlining.

1. (Currently Amended) A catheter adapted for use in pelvic angiographic procedures in which access to contralateral and ipsilateral branch arteries below the bifurcation of the internal iliac arteries is accomplished from a single common femoral arterial puncture site, the catheter comprising:

a generally tubular structure defining only a single continuous lumen extending from a proximal end of the catheter to a distal end of the catheter;

the generally tubular structure further defining a preformed primary curve located distal to the proximal end;

the generally tubular structure further defining a first tapered section, the first tapered section being located distal to the primary curve and tapering such that the external diameter decreases from proximal to distal along the first tapered section;

the generally tubular structure further defining a preformed secondary curve located distal to the primary curve and curving in a generally opposed direction to the primary curve; and

wherein the first tapered section generally coincides in location with the secondary curve, further wherein a length from the primary curve to the secondary curve is between 14 cm and 17 cm, a length from the secondary curve to the catheter tip is between 3 cm and 8 cm; and further wherein an angle of the secondary curve is between 90 and 100 degrees from the shaft.

2. (Original) The catheter of claim 1 formed from a group of plastics that includes polyurethane, polyethylene and polyether block amide copolymer.

3. (Currently Amended) The catheter of claim 1, wherein ~~[[the]]~~ a second tapered section tapers from an inner diameter of 0.035 inches to 0.018 inches, and wherein the outer diameter tapers from 4 french to 3 french.

4. (Original) The catheter of claim 1, wherein the overall length of the catheter is between 76 cm and 87 cm.

5.-6. (Cancelled)

7. (Original) The catheter of claim 1, wherein the start of the first tapered section begins between 2.0 cm and 3.0 cm beyond the primary curve, and wherein the taper is from an inner diameter of 0.038 inches to 0.035 inches and an outer diameter of 5 French to 4 French.

8. (Currently Amended) The catheter of claim 1, wherein the start of ~~[[the]]~~ a second tapered section begins between 0.5 cm and 1.5 cm from the secondary curve.

9. (Currently Amended) The catheter of claim 1, wherein the overall length of ~~[[the]]~~ a second tapered section is between 2.0 cm and 8.0 cm.

10. (Original) The catheter of claim 1, wherein the radius of the primary curve is between 1.0 cm and 1.2 cm, and wherein the angle of said primary curve is within a range between 180 and 420 degrees.

11.-12. (Cancelled)

13. (Original) The catheter of claim 1, wherein the catheter is formed from a braided material.

14. (Original) The catheter of claim 13, wherein the braided material is from a group that includes stainless steel.

15. (Original) The catheter of claim 1, wherein the catheter is impregnated with a radio opaque material.

16. (Original) The catheter of claim 15, wherein the radio opaque material is from a group that includes tungsten.

17. (Original) The catheter of claim 1, wherein the first tapered portion is made from a group of material that includes a polyether block amide copolymer.

18. (Original) The catheter of claim 1, wherein a hydrophilic coating is employed.

19. (Original) The catheter of claim 18, wherein the hydrophilic coating coats at least a portion of the catheter from the origin of the first tapered section to the tip.

20. (Original) The catheter of claim 1, including a hub at its origin.
21. (Original) The catheter of claim 20, wherein the length from the origin of the hub to the primary curve is between 59 cm and 62 cm.
22. (Original) The catheter of claim 20, wherein the hub is 1.0 to 2.0 cm in length and has an inner luminal diameter of 0.038 inches.
23. (Original) The catheter of claim 20, wherein the hub consists of polyurethane.
24. (Original) The catheter of claim 20, wherein the hub has an inner luminal diameter of 0.038 inches.
25. (Original) The catheter of claim 1 or 20, wherein a straightener extends on the outside of the catheter over a length between 2.0 cm and 3.0 cm.
26. (Original) The catheter of claim 25, wherein the straightener is made of polyurethane.
27. (Original) The catheter of claim 25, wherein the straightener is removable.
28. (Previously Presented) The catheter of claim 1 or 20, wherein the first tapered section is formed from a flexible material.

29. (Previously Presented) The catheter of claim 1 or 20, wherein the first tapered section is formed from an elastic material.

30. (Previously Presented) The catheter of claim 1 or 20, further comprising a second tapered section and wherein the second tapered section is formed from a soft material.

31. (Currently Amended) The catheter of claim [[1]] 3 or 20, wherein the second tapered section is formed from a germ-retarding material.

32. (Cancelled).

33. (Currently Amended) The catheter of claim [[1]] 3 or 20, wherein the thickness of the walls of the second tapered section changes along its length.

34. (Currently Amended) The catheter of claim [[1]] 3 or 20, wherein the length of the second tapered section is at least 0.5 cm.

35. (Cancelled)

36. (Currently Amended) The catheter of claim [[1]] 3 or 20, wherein the second tapered section is detachable.

37. (Currently Amended) The catheter of claim ~~[[1]]~~ 3 or 20, wherein the second tapered section is formed separately from the rest of the catheter.

38. (Currently Amended) The catheter of claim ~~[[1]]~~ 3 or 20, wherein the second tapered section is formed separately from the rest of the catheter and includes attachment means for removably attaching to the secondary curve.

39. – 64. (Cancelled).